CLAIMS

What is claimed is:

1. An apparatus comprising:

storage means for storing a first type of branch history information; intermediate prediction means for generating a plurality of intermediate branch prediction results based off of a plurality of portions of the store branch history information, wherein the intermediate prediction means uses a portion of the branch history information that is smaller than all of the branch history information stored within the storage means in order to generate the plurality of intermediate branch prediction results;

final prediction means for generating a final branch prediction result based off of the plurality of intermediate branch prediction results.

- 2. The apparatus of Claim 1 wherein the storage means is a register within a microprocessor.
- 3. The apparatus of Claim 1 wherein the storage means is a memory location within a computer system.
- 4. The apparatus of Claim 1 wherein the intermediate prediction means comprises a plurality of intermediate branch predictors to perform a plurality of intermediate branch predictions in parallel.

- 5. The apparatus of Claim 1 wherein the final prediction means is a single branch predictor.
- 6. The apparatus of Claim 1 wherein the intermediate branch prediction means comprises a first plurality of intermediate branch prediction units to perform a plurality of branch predictions in parallel, and a second plurality of intermediate branch prediction units to perform a plurality of branch predictions in series with the first plurality of intermediate branch prediction units.
- 7. A computer system comprising:
 - a memory unit to store a first and second plurality of instructions; a processor to predict whether to execute the first or the second plurality of instructions based, at least in part, on an intermediate branch prediction to be made by a plurality of intermediate branch prediction units, the intermediate branch history units each corresponding to a different portion of a set of branch history information, each different portion being smaller than the set of branch history information.
- 8. The computer system of Claim 7 wherein the processor comprises a final branch prediction unit to perform a final branch prediction based on predictions of the intermediate branch prediction units.

- 9. The computer system of Claim 8 further comprising a branch history storage unit to store the set of branch history information.
- 10. The computer system of Claim 9 wherein the branch history storage unit is a memory location.
- 11. The computer system of Claim 9 wherein the branch history storage unit is a register within the processor.

12. A processor comprising:

a storage unit for storing a first type of branch history information; a plurality of intermediate prediction units to generate a plurality of intermediate branch prediction results based off of a plurality of portions of the store branch history information, wherein each intermediate prediction unit uses a portion of the branch history information that is smaller than all of the branch history information stored within the storage unit in order to

13. The processor of Claim 12 further comprising a final prediction unit to generate a final branch prediction result based off of the plurality of intermediate branch prediction results.

generate the plurality of intermediate branch prediction results.

- 14. The processor of Claim 13 wherein the storage unit is a register within a microprocessor.
- 15. The processor of Claim 13 wherein the storage unit is a memory location within a computer system.
- 16. The processor of Claim 13 wherein the intermediate prediction units are to perform a plurality of intermediate branch predictions in parallel.
- 17. The processor of Claim 13 wherein the intermediate branch prediction units comprise a first plurality of intermediate branch prediction units to perform a plurality of branch predictions in parallel, and a second plurality of intermediate branch prediction units to perform a plurality of branch predictions in series with the first plurality of intermediate branch prediction units.

18. A method comprising:

accessing a plurality of branch prediction segments in parallel; performing a plurality of intermediate branch predictions based off of the plurality of branch prediction segments, wherein each intermediate branch prediction is based off of a different branch prediction segment and each branch prediction segment is smaller than the sum of the branch prediction segments.

11

- 19. The method of Claim 18 further comprising performing a final branch prediction based off of the plurality of intermediate branch predictions.
- 20. A machine-readable medium comprising instructions, which if executed by a machine, cause the machine to perform a method comprising:

accessing a plurality of branch prediction segments in parallel;

performing a plurality of intermediate branch predictions based off

of the plurality of branch prediction segments, wherein each intermediate

branch prediction is based off of a different branch prediction segment and

each branch prediction segment is smaller than the sum of the branch

prediction segments.

21. The machine-readable medium of Claim 20 further comprising performing a final branch prediction based off of the plurality of intermediate branch predictions.